

L Number	Hits	Search Text	DB	Time stamp
-	48	(dns (domain adj name adj (server system)) (domain near3 nam\$4)) and ((address\$4 near10 conver\$6) adj10 nam\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/02 16:55
-	104	(dns (domain adj name adj (server system))) and (((configuration address\$4 rout\$4) near4 table) same (sourc\$4 near10 address\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/02 16:42
-	57	(dns (domain adj name adj system)) and (((address\$4) near4 table) same (sourc\$4 near10 address\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/02 16:45
-	15	x.121 and ((stor\$4 sav\$4) same address\$4) and ((configuration address\$4 rout\$4) near4 table)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/03 08:43
-	11	x.121 and ((stor\$4 sav\$4) same address\$4) and ((configuration address\$4 rout\$4) near4 table) and nam\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/03 09:04
-	5	x.121 and (nam\$4 same (stor\$4 sav\$4) same address\$4) and ((configuration address\$4 rout\$4) near4 table)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/03 08:46
-	6	(x.121 and ((stor\$4 sav\$4) same address\$4) and ((configuration address\$4 rout\$4) near4 table) and nam\$4) not (x.121 and (nam\$4 same (stor\$4 sav\$4) same address\$4) and ((configuration address\$4 rout\$4) near4 table))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/03 09:04
-	9	(address\$4 and wildcard) and ((mac (media adj access adj control)) near10 address\$4) and ((nam\$4 address\$4) same (stor\$4 sav\$4) same table)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/03 09:49
-	91	((mac (media adj access adj control)) near10 address\$4) and ((nam\$4) same (stor\$4 sav\$4) same table)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/03 09:49
-	8	(dns (domain adj name adj system)) and (database and (mib (management adj informaiotn adj base))) and (nam\$4 same address\$4 same (sav\$4 stor\$4) same (database table))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/03 10:38
-	144	map\$5 adj7 address\$4 adj7 nam\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/03 10:47
-	8	(map\$5 adj7 address\$4 adj7 nam\$4) and (mib (management adj informaiotn adj base))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/03 10:47
-	37	(dns (domain adj name adj (server system))) and (configuration near4 table) and (sourc\$4 near10 address\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/03 11:40
-	198	((mac (media adj access adj control)) near10 address\$4) and (((stor\$4 sav\$4) same (source near4 address\$4))) same (table database))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/03 11:56
-	25	((mac (media adj access adj control)) near10 address\$4) and (((stor\$4 sav\$4) same (source near4 address\$4))) same (table database)) and (database and (mib (management adj informaiotn adj base)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/03 13:03
-	5	((mac (media adj access adj control)) near10 address\$4) and (((stor\$4 sav\$4) same (source near4 address\$4))) same (table database)) and (database and (mib (management adj informaiotn adj base))) and (address\$4 near10 pool\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/03 13:37

-	20	((mac (media adj access adj control)) near10 address\$4) and (database and (mib (management adj informaiotn adj base))) and ((source adj4 address\$4) same (stor\$4 sav\$4) same table)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/03 14:20
-	15	(dns (domain adj name adj (server system))) and (address\$4 near10 pool\$4) and (mib (management adj informaiotn adj base))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/03 16:19
-	178	(dns (domain adj name adj (server system))) and ((stor\$4 adj6 forward) store-and-forward\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/03 16:20
-	17	((((dns (domain adj name adj (server system))) and ((stor\$4 adj6 forward) store-and-forward\$4)) and (rout\$4 near7 table)) and (rout\$4 near6 table) and (group\$4 same address\$4) and (dns (domain adj name adj (server system))) and ((rout\$4 near10 table) same (stor\$4 sav\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/03 16:22
-	317	(address\$4 near7 (portion\$4 position\$4 section\$4)) and (first near6 (portion\$4 position\$4 section\$4 part)) and (second near6 (portion\$4 position\$4 section\$4 part)) and ((replac\$4 substitu\$6 exchang\$5) near7 address\$4 near7 (portion\$4 position\$4 section\$4 part)) and ((sav\$4 stor\$4) near6 address\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/02/21 09:26
-	4	((address\$4 near7 (portion\$4 position\$4 section\$4)) and (first near6 (portion\$4 position\$4 section\$4 part)) and (second near6 (portion\$4 position\$4 section\$4 part)) and ((replac\$4 substitu\$6 exchang\$5) near7 address\$4 near7 ((first second) near5 (portion\$4 position\$4 section\$4 part))) and ((sav\$4 stor\$4) near6 address\$4)) and ((ip mac) near5 address\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/02/21 09:31
-	121	((address\$4 near11 (portion\$4 position\$4 section\$4)) and (first near8 (portion\$4 position\$4 section\$4 part)) and (second near8 (portion\$4 position\$4 section\$4 part)) and ((replac\$4 substitu\$6 exchang\$5) near9 address\$4)) and ((ip mac) near5 address\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/02/21 12:55
-	140	((left right first second) same (portion\$4 position\$4 section\$4 part) same (replac\$4 substitu\$6 exchang\$5 (in adj place)) same (ip mac address\$4)) and ((ip mac) near5 address\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/02/21 13:21
-	3	(address\$4 near11 wildcard\$4) same (replac\$4 substitu\$6 exchang\$5)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/02/21 14:53
-	2	(address\$4 near11 (wildcard\$4 (wild adj card\$4))) same (replac\$4 substitu\$6 exchang\$5) and (wildcard\$4 (wild adj card\$4)) and ((ip mac) near5 address\$4) and (rout\$5 near11 (tabl\$4 databas\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/02/21 15:42
-	3	(address\$4 near11 (wildcard\$4 (wild adj card\$4))) same (replac\$4 substitu\$6 exchang\$5) and (wildcard\$4 (wild adj card\$4)) and ((ip mac) near5 address\$4) and (select\$7 same (wildcard\$4 (wild adj card\$4)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 14:00
-	105	(address\$4 near11 (wild-card\$4 (wild\$4 adj3 card\$4) wildcard\$4)) and (replac\$4 substitu\$6 exchang\$5)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 14:05

-	21	((address\$4 near11 (portion\$4 position\$4 section\$4)) and (first near8 (portion\$4 position\$4 section\$4 part)) and (second near8 (portion\$4 position\$4 section\$4 part)) and ((replac\$4 substitu\$6 exchang\$5) near9 address\$4 near9 (portion\$4 position\$4 section\$4 part)) and ((sav\$4 stor\$4) near8 address\$4)) and ((ip mac) near5 address\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 14:27
-	49	((dns (domain adj name adj (server system))) and ((stor\$4 adj6 forward) store-and-forward\$4)) and (rout\$4 near7 table)) and (rout\$4 near6 table) and (group\$4 same address\$4) and (dns (domain adj name adj (server system)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 14:28
-	6	((mac (media adj access adj control)) near10 address\$4) and (database and (mib (management adj informaiotn adj base))) and (address\$4 near10 pool\$4) and ((stor\$4 adj5 forward\$4) same (table database))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 15:04
-	73	(address\$4 near11 wildcard\$4) and (replac\$4 substitu\$6 exchang\$5)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 15:04
-	12	(address\$4 near11 (wildcard\$4 (wild adj card\$4))) same (replac\$4 substitu\$6 exchang\$5)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 15:04
-	3	(address\$4 near11 (wildcard\$4 (wild adj card\$4))) same (replac\$4 substitu\$6 exchang\$5) and (wildcard\$4 (wild adj card\$4)) and ((ip mac) near5 address\$4) and ((stor\$4 sav\$4) near11 address\$5)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 15:04
-	5	(address\$4 near11 (wildcard\$4 (wild adj card\$4))) same (replac\$4 substitu\$6 exchang\$5) and (wildcard\$4 (wild adj card\$4)) and ((ip mac) near5 address\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 15:04
-	69	((dns (domain adj name adj (server system))) and ((stor\$4 adj6 forward) store-and-forward\$4)) and (rout\$4 near7 table)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 15:05
-	29	((mac (media adj access adj control)) near10 address\$4) and (((stor\$4 sav\$4) same (source near4 address\$4))) same (table database)) and (database and (mib (management adj informaiotn adj base)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 15:06
-	20	((mac (media adj access adj control)) near10 address\$4) and (database and (mib (management adj informaiotn adj base))) and ((nam\$4) same (stor\$4 sav\$4) same table)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 15:06
-	53	((left right first second) same (portion\$4 position\$4 section\$4 part) same (replac\$4 substitu\$6 exchang\$5 (in adj place)) near7 (ip mac address\$4)) and ((ip mac) near5 address\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 15:08
-	44	((address\$4 near11 (portion\$4 position\$4 section\$4)) and (right near8 (portion\$4 position\$4 section\$4 part)) and (left near8 (portion\$4 position\$4 section\$4 part)) and ((replac\$4 substitu\$6 exchang\$5) near9 address\$4)) and ((ip mac) near5 address\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 15:08
-	90	multicast\$4 and ((modif\$5 chang\$4 alter\$6 replac\$4 substitu\$6 exchang\$5 (in adj place)) with address\$4 same (wild\$4 wild-card concat\$4 concatenation operation character prefix\$4 rang\$4) same (left right first second))	USPAT	2004/02/10 15:53

-	10	anycast\$4 and (address\$4 same (alter\$6 wild\$4 wild-card concat\$4 concatenation operation character prefix\$4 rang\$4))	USPAT	2004/02/10 15:55
-	1	fuzzycast\$4 and (address\$4 same (alter\$6 wild\$4 wild-card concat\$4 concatenation operation character prefix\$4 rang\$4))	USPAT	2004/02/10 15:58
-	279	("ip6" "ipv6") and (address\$4 same (alter\$6 wild\$4 wild-card concat\$4 concatenation operation character prefix\$4 rang\$4))	USPAT	2004/02/10 16:21
-	142	("ip6" "ipv6") and (address\$4 same (concat\$4 concatenation prefix\$4 rang\$4))	USPAT	2004/02/10 16:21